
GAMEMAX



DARK ICE 240

240MM LIQUID CPU COOLER

USER MANUAL

Package contents 01

Fan/Radiator 03

Intel LGA 20XX 05

Intel LGA 1851/1700/1366/115X 07


Intel LGA 2066/2011 09

AMD AM5/AM4 10

Connection 11


PACKAGE CONTENTS

A




x1

B




x2

C Intel backboard




x1

D Intel bracket




x1

E AMD bracket



x1

F Nut cap



x4


G Intel
LGA 1851/1700/1366/115X



x4


PACKAGE CONTENTS

H Intel
LGA 2011/2066



x4

I AMD
AM4/AM5



x4

J




x8

K




x8

L Thermal paste




x1

M Fan link cable




x1


FAN/RADIATOR




FAN/RADIATOR




INTEL LGA20XX



INTEL LGA20XX




INTEL LGA1851/1700/1366/115X




Assemble the backplane to the corresponding platform holes based on the mainboard platform

INTEL LGA1851/1700/1366/115X


Step 1



Step 2




Fix the bracket according to this diagram




INTEL LGA 2066/2011


Step 1



Step 2




Fix the bracket according to this diagram




AMD AM5/AM4


Step 1




Step 2




Fix the bracket according to this diagram




CONNECTION



Motherboard





4PIN PWM



POWER UP WITH GAMEMAX

www.gamemaxpc.com